



ची प्रस्ताब फारम

५.अधिकारीक ब्यक्तिको नामः	४.सम्पर्क ब्यक्तिको इमेलः	३. सम्पर्क व्यक्तिको मोबाइल नः:	र. संस्थाको ठेगानाः	
				मल्य र

	42	८. नीट: उपलब्ध गराउन सबने संस्थाते मुख्य र अन्य विवरण प्रस्ट खोल्नु पर्ने साथै specification मा कृषि श्रीजारको अनिवार्य रुपले विवरण
	1	1
		CH
		पल
		B T
		100
		सं सं
		可好
No.		स्थार
		64
		य
*		अर
		निव
0000		न्य
		23.5
		1
	,	त्र
		म य
		4
		pecif
		icati
		on 7
		H 양
		कि उ
		4
		क)
		अनिव
		व र
		पल
		विवर
		म
	6	व.
	Š	क्ले विवरण भर्न पर्नेख अन्यया पेश गरेको
		3-42
		ये पे
		1
	1	9
	2	Head
	7	1
	-	तुश
-	-	2
	21114	3
	=	4,
	HAIN	
	A A	
	0	4
	dichit	5
	1001	1
	SIL	5
	4	,
	(2)	1
	1	+

६. PAN/VAT रेजिस्ट्रेशन न. ....... ७. फर्म दर्ता मितिः .....

														•			
_									<u> </u>								S.N
*,									Diesel Mini Tiller					¥			Name of Machine
Warranty	Accessories parts and tools	Operation manual	Fuel tank capacity(liter)	Tilling Depth(cm)	Tilling Width(cm)	Steering handle	Starting method	Transportation wheel	Number of rotor blades	RPM	Rated Power	Model of transmission	Transmission system	Engine	Make,model,Brand of machine Any		
Supplier must provide one year warranty for manufacturing	One set of complete tool box, mini tiller filled with lubricant	One set of operation/maintenance manual	2 or above	10 to 20	100 and above	Height adjustment provided.	Manual or recoil starting system/ self or electric	Pneumatic tyre	32 blades or above.	3600 or above	Not less than 5.2Kw ± 0.2 Kw	Driven by gear system	No. of gear speed: 2 forward &1 reverse and neutral	4 stroke, single cylinder, forced air cooled, Diesel engine.	Any		Specification
								Set	2								Unit
							Offer Services if any		Proposed Specification	(	Country of Origin		Make and Model			Suppliers	Proposed Specification by
										÷						Ú	Rate( Include Vat
																Words	Rate in
				2, ch	The same	समेत पेश	leaflets आदि	खल्ने cataloos	specification	- Supering Services	रंगिन फोटो	उपकरणहरूको					Remarks



Er.Subash B.C. Agriculture Engineer NEC Regd No.:421

त्रिक्ष बरेश धिताल





Make, model, Brand of machine   Any						-	2							
del,Brand of machine  Any  4 stroke, single cylinder,forced air cooled, Diesel engine.  Ision system  No. of gear speed: 2 forward & I reverse and neutral  transmission  Not less than 3.7 Kw ± 0.2 Kw  3600 or above  24 blades or above.  ation wheel  Pneumatic tyre  nandle  Height adjustment provided.  100 and above  ppth(cm)  100 to 20  capacity(liter)  2 or above  1 manual  One set of operation/maintenance manual  One set of complete tool box, mini tiller filled with lubricant and Gear oil.  Supplier must provide one year warranty for manufacturing defects.							Diesel Mini Tiller							
oke, single cylinder, forced air cooled, Diesel engine.  of gear speed: 2 forward & I reverse and neutral en by gear system less than 3.7 Kw±0.2 Kw ) or above  lades or above.  matic tyre ual or recoil starting system/ self or electric ht adjustment provided. and above 20 above set of operation/maintenance manual set of operation/maintenance manual set of complete tool box, mini tiller filled with lubricant Gear oil. lier must provide one year warranty for manufacturing sts.	Accessories parts and tools Warranty	Fuel tank capacity(liter)  Operation manual	Tilling Depth(cm)	Tilling Width(cm)	Steering handle	Starting method	Transportation wheel	Number of rotor blades	RPM	Power	Model of transmission	Transmission system	Engine	Make,model,Brand of machine
	One set of complete tool box, mini tiller filled with lubricant and Gear oil.  Supplier must provide one year warranty for manufacturing defects.	2 or above One set of operation/maintenance manual	10 to 20	100 and above	Height adjustment provided.	Manual or recoil starting system/ self or electric	Pneumatic tyre	24 blades or above.	3600 or above	Not less than 3.7 Kw ± 0.2 Kw	Driven by gear system	No. of gear speed: 2 forward &1 reverse and neutral	4 stroke, single cylinder, forced air cooled, Diesel engine.	Any
Make and Model Country of Origin Proposed Specification Offer Services if any						130	Cat							
						Offer Services if any		Proposed Specification		Country of Origin		Make and Model		

specification

उपकरणहरूको

रंगिन फोटो,

उपकरणहरूको

खुल्ने catalogs, leaflets आदि

समेत पेश गर्नुपर्नेछ ।

Aug.

Er.Subash B.C. Agriculture Engineer Agriculture No.:421

त्रे नरेश धिताल



लुम्बिनी प्रदेश सरकार

गुल्मी, नेपा	केशि मान व	कर्मना तथा है।	THE PARTY OF THE P	
	*			के लिखे की किए की क किए की किए क

Make & model of machine     Any       Eunction     Rice Mill and Dise Mill       Capacity     Rice ≥ 120 Kg/hr and Pulverizer ≥ 150 Kg/hr       Power Required(hp)     Electric motor ≥(2.2 KW±0.2 KW)       Voltage     220 V, 50 Hz, Single phase       Operation manual     One set of operation/maninemance manual       Features     Suitable to separate husk and barn       Motor Speed     Suitable to separate husk and barn       Voltage     Suitable to separate husk and barn       Varranty     Suipplier must provide one year warranty for manufacturing defects.       Make & model of machine     Any       Type     Standing Type       No of blades     3 blades or more       Power / Voltage     ≥ 2.2 Kw ±0.2 Kw / 220 V       Chaff Cutter     Single Phase motor, pully suitable for V-belt     Country of Origin       Capacity     ≥ 300 kg/hr     Proposed Specification       Capacity     ≥ 300 kg/hr     Offer Services if any       Offer Services if any	Power Required(hp)  Capacity  Power Required(hp)  Voltage  Operation manual  Features  Motor Speed  Warranty  Make & model of machine  Type  No of blades  Power / Voltage  Motor Type  RPM  Capacity  Warrnty					4									u	,					
Any Rice Mill and Disc Mill Rice ≥ 120 Kg/hr and Pulverizer ≥ 150 Kg/hr Electric motor ≥(2.2 KW±0.2 KW) 220 V, 50 Hz, Single phase One set of operation/maintenance manual Suitable to separate husk and barn equivanent to 2800 rpm Supplier must provide one year warranty for manufacturing defects.  Any Standing Type 3 blades or more ≥ 2.2 Kw ±0.2 Kw / 220 V Single Phase motor, pully suitable for V-belt not less than 2500 ≥ 300 kg/hr l year						Chaff Cutter									Combined Mill						
Set Set	Rice ≥ 120 Kg/hr and Pulverizer ≥ 150 Kg/hr  Rice ≥ 120 Kg/hr and Pulverizer ≥ 150 Kg/hr  Electric motor ≥ (2.2 KW±0.2 KW)  220 V, 50 Hz, Single phase  One set of operation/maintenance manual  Suitable to separate husk and barn  equivanent to 2800 rpm  Supplier must provide one year warranty for manufacturing defects.  Any  Standing Type  ≥ 2.2 Kw±0.2 Kw/220 V  Single Phase motor, pully suitable for V-belt  not less than 2500  ≥ 300 kg/hr  1 year	Warmty		Capacity	RPM	Motor Type	Power / Voltage	No of blades	Type	Type	Make & model of machine		Warranty	Motor Speed	Features	Operation manual	Voltage	Power Required(hp)	Capacity	Function	Make & model of machine
		усаг		> 300 kg/hr	not less than 2500	Single Phase motor, pully suitable for V-belt	≥ 2.2 Kw ±0.2 Kw / 220 V	3 blades or more	oranging Type	Standing Time	Any	9	Supplier must provide one year warranty for manufacturing defects.	equivanent to 2800 rpm	Suitable to separate husk and barn	One set of operation/maintenance manual	220 V, 50 Hz, Single phase	Electric motor ≥(2.2 KW±0.2 KW)	Rice ≥ 120 Kg/hr and Pulverizer ≥ 150 Kg/hr	Rice Mill and Disc Mill	Any
Make and Model Country of Origin Proposed Specification Offer Services if any Make and Model Country of Origin Country of Origin Proposed Specification Offer Services if any						Set									Set						
	Make and Model Country of Origin Proposed Specification Offer Services if any Make and Model Country of Origin Country of Origin Proposed Specification Offer Services if any	Ofter Services if any	;		Proposed Specification		Country of Origin	Make and Model					Offer Services if any		Proposed Specification		Country of Origin		Make and Model		

खुल्ने catalogs, leaflets आदि समेत पेश

गर्नुपर्नेछ ।

उपकरणहरूको

उपकरणहरुको रंगिन फोटो,

specification

खुल्ने catalogs.

leaflets आदि समेत पेश गर्नुपर्नेछ ।

specification

रंगिन फोटो, उपकरणहरूको

उपकरणहरूको

Er.Subash B.C. Agriculture Engineer NEC Regd No.:421

न्त्रिक्ष धिताल

Er.Subash B.C. Agriculture Engineer NEC Regd No.:421



				(	6				
				Machine	Digital Weighing				
Warrenty	Directly Plug	Accuracy	Size	Weighing Capacity	Material	Feature	Display Type	Type	Make & model of machine
l year	220 v/ 50 Hz, Single phase	± 10 gm	Suitable according to capacity	≥100 Kg	Mild Steel / Stainless Steel	Battery Backup, Unit conversion Facility	Large Display on the top that can be easily read	Electronic Weighing Machine	Any
				1301	Cot				
									¢,
	गर्नुपर्नेछ ।	समेत पेश	leaflets आदि	खुल्न catalogs,	apecilication	specification	उपकरणहरूको	रंगिन फोटो,	उपकरणहरूको

Make , model and Brand  Country Of Manufacture  Type  Electric Battery with  manual knapsack  Sprayer  Battery  No of Piston in Pump  Warrenty  Catalogue/Manual  Make , model and Brand  Any  Country Of Manufacture  Battery Operated combanied with manual back pack  (Knapsack) (Two in one)  (Knapsack) (Two in one)  (Knapsack) (Two in one)  Electric Battery with  Marterial  HDEP (Plastic)  Plastic or metal  Plastic or metal  Plastic or metal  12 volt Lithium battery with charger  I year  Catalogue/Manual  Operation Manual should be provided						S				
					Sprayer	manual knapsack	Electric Battery with			
Any Any Any Battery Operated combanied with manual back pack (Knapsack) (Two in one) HDEP (Plastic)  ≥ 16 liters Plastic or metal 12 volt Lithium battery with charger 1 for manual operation 1 year Operation Manual should be provided	Catalogue/Manual	Warrenty	No of Piston in Pump	Battery	Nozzle	Tank Volume (Capacity)	Tank Material	Туре	Country Of Manufacture	Make, model and Brand
	Operation Manual should be provided	l year	1 for manual operation	12 volt Lithium battery with charger	Plastic or metal	≥ 16 liters	HDEP ( Plastic)	Battery Operated combanied with manual back pack (Knapsack) (Two in one)	Any	Any
			गर्नुपर्नेछ ।	समेत पेश	leaflets all'a	Ger catalogs,	specification	उपकरणहरूको	रंगिन फोटो.	उपकरणहरूको



प्रदेश सरकार सम्भावया सक्कारी मन्त्रालय सम्भावया स्थापनालय स्थापना स्थापनालय कृति सम्भावया

त्रिक्ति वरश धिताल





				7 Corn Collor				
	Threasing Rate	Power Transmission System	Rated Voltage	Motor	Machine raw material	Type	Purpos	Make, Model and brand
	not less than 800 kg/hr	Belt type	220 V	≥ 0.95 Kw ± 0.2 Kw electric motor	Mild Steel		De-Corning or removing dry corn	Any
		_		Set				
गनुपन्छ ।	111111111111111111111111111111111111111	icanicis sims	जिल्लानिक अपि	खले catalogs	specification	उपकरणहरूको	रंगिन फोटो,	उपकर्षाहरूका

## Suppliers Responsibilities:

- 1) Manufacturing Company Shall Provide at least 1 year of Warranty in Case of manufracturing defect.
- 2) Necessary Spare Parts Shall be Supplied easily in demand of beneficiary.
- 3) General Operational Training of the machine Should be given to the Purchaser
- 4) The Suppliers Shall Provide all the necessary filters, engine oil, gear oil and spare parts required for the operation for the machine
- 5) Manufacture Company or Suppliers Strictly provide engine rated power of mini tiller in Kw both in catalogue and machine

आवश्यक कागजातहरू:

- १. कम्पनी दर्ताको प्रमाण पत्र,
- २. मूल्य अभिवृद्धि कर दर्ता प्रमाण पत्र,
- . गत वर्षको कर चुता प्रमाणपत्रको प्रतिलिपि,
- ४. उत्पादकले विकेतालाइ उपलब्ध गराएको आधिकारिक विकेता रहेको प्रमाण पत्र (Manufacturer's authorization letter)
- और्जार तथा उपकरणको प्राविधिक स्पेशिफिकेसन सहितको मूल्य,
- ६. कम्पनी तथा फर्मको अध्यावधिक प्रमाणपत्र
- ७. संस्था कालो सुचिमा नंपरको स्व घोषणा पत्र।

Prepared By: Roberts

Er.Subash B.C. Agriculture Engineer NEC Regd No.:421

Recommended By:

Approved By:

प्रमुख